



# Garage Door

## Safety

Your garage door openers have some nice built-in safety features:

- Optical sensors stop garage doors from closing on someone or something
- Safety Reversal System senses resistance against the door and will reverse itself if it encounters elevated resistance in case of entrapment



Garage Door Troubleshooting

**Important:** Do not attempt to adjust tension spring, as this can cause serious injury or death. Consult a professional if adjustments are needed.

## **General operations:**


- Push main button on wall to operate door, and smaller button to operate light
- Pull cord to release from opener to operate manually
- Push button (or largest button if multiple) on remote to operate garage door

## Wifi Enabled Garage Door Help:

- LiftMaster myQ Support
- Genie Aladdin Connect Support







### Maintenance and cleaning:

#### **Batteries**

• If the remote or keypad no longer operates as expected, change the batteries to see if that solves the problem.

### **Every Six Months**

- Manually operate the door; if it is unbalanced or binding, call a trained door systems technician
- Check to be sure the door opens and closes fully; adjust if necessary
- Test the safety reversal system; adjust if necessary



## Every Year

- Oil bearings and hinges; the garage door opener does not require additional lubrication; do not grease the door tracks
- Test the battery backup (if applicable) and consider replacing the battery to ensure the garage door opener will operate during a power outage
- Pressure-wash the door

## **Every Two to Three Years**

- Use a rag to wipe away the existing grease from the garage door opener rail
- Reapply a small layer of white lithium grease to the top and underside of the rail surface where the trolley slides

